

08CNG028-2  
(GP2-0187)

### AMENDMENTS TO THE CLAIMS

Claim 1 (Currently amended): A thermoplastic composition, comprising:

about 15 to about 35 weight percent of a poly(arylene ether);

about 15 to about 46 weight percent of a homopolymer of an alkenyl aromatic monomer;

about 10 to about 35 weight percent of a polyolefin; propylene polymer; wherein the propylene polymer is a homopolymer of polypropylene, or a random, graft, or block copolymer of propylene and at least one olefin selected from ethylene and C<sub>4</sub>-C<sub>10</sub> alpha-olefins, with the proviso that the copolymer comprises at least about 80 weight percent of repeating units derived from propylene;

about 1 to about 15 weight percent of a hydrogenated block copolymer of alkenyl aromatic compound and a conjugated diene having an alkenyl aromatic content of 40 to about 90 weight percent, and wherein the hydrogenated block copolymer comprises a styrene-(ethylene-butylene)-styrene triblock copolymer; and

about 1 to about 15 weight percent of an unhydrogenated block copolymer of alkenyl aromatic compound and a conjugated diene;

wherein the composition is substantially free of rubber-modified poly(alkenyl aromatic) resin; and wherein all weight percents are based on the total weight of the composition.